

SAFETY DATA SHEET

1. Identification		
Identification Product name:	PARATHERM™ AC	
Additional identification Chemical name:	Not available.	
Recommended use and restr Recommended use: Restrictions on use:	iction on use Heat Transfer Fluid None identified.	
Details of the supplier of the Supplier	safety data sheet	
Company Name:		
Address:	A DIV. OF THE LUBRIZOL CORPORATION 2009 Renaissance Boulevard King of Prussia, PA 19406	
Telephone:	610-941-4900	
Emergency telephone number FOR TRANSPORT EMERGEN 2. Hazard(s) identification Hazard Classification Health Hazards	ICY CALL CHEMTREC (+1)703 527 3887, OR WITHIN USA 800 424 9300	
Serious Eye Damage/E Irritation	ye Category 2B	
Toxic to reproduction Specific Target Organ ⁻ Repeated Exposure Unknown toxicity	Category 1B Foxicity - Category 2	
Acute toxicity, inhalatio	n, vapor 99.0 %	
Acute toxicity, inhalatio or mist	n, dust 78.0 %	
Label Elements:		
Hazard Symbol:		
Signal Word:	Danger	
Hazard Statement:	Causes eye irritation. May damage fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure.	
SDS_US - PARATHERM™ AC		1/11



Precautionary Statements:

Prevention:	Wash thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray.
Response:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention.
Storage:	Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Other hazards which do not result in GHS classification:	None identified.

3. Composition/information on ingredients

Chemical name	CAS number	Percent by Weight
Alkylbenzene derivatives, distillation residues	Confidential	50 - 60%
p-Dodecylphenol	74499-35-7	1 – 5%
Ethylene glycol	107-21-1	1 – 5%

Trade secret information: A specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures		
General information:	Get medical advice/attention if you feel unwell.	
Ingestion:	Call a POISON CENTER or doctor/ physician if you feel unwell.	
Inhalation:	Remove exposed person to fresh air if adverse effects are observed.	
Skin Contact:	Wash with soap and water. Get medical attention if symptoms occur. Launder contaminated clothing before reuse.	
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Most important symptoms/effects, acute and delayed		
Symptoms:	See section 11.	
Indication of immediate medical attention and special treatment needed		
Treatment:	Treat symptomatically.	
SDS_US - PARATHERM™ A	C 2/11	



5. Fire-fighting measures	
General Fire Hazards:	No unusual fire or explosion hazards noted.
Suitable (and unsuitable) exting Suitable extinguishing media:	uishing media CO2, Dry chemical or Foam. Water can be used to cool and protect exposed material.
Unsuitable extinguishing media:	Not determined.
Specific hazards arising from the chemical:	See section 10 for additional information.
Special protective equipment an Special fire fighting procedures:	d precautions for firefighters No data available.
Special protective equipment for fire-fighters:	Recommend wearing self-contained breathing apparatus.
6. Accidental release measures	8
Personal precautions, protective equipment and emergency procedures:	Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations. Ventilate area if spilled in confined space or other poorly ventilated areas.
Environmental Precautions:	Avoid release to the environment. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.
Methods and material for containment and cleaning up:	Dike far ahead of larger spill for later recovery and disposal. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements or confined areas.
7. Handling and storage	
Precautions for safe handling:	Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with eyes. Observe good industrial hygiene practices. Provide adequate ventilation. Use personal protective equipment as required. Wash hands thoroughly after handling. Launder contaminated clothing before reuse. Avoid environmental contamination.
Maximum Handling Temperature:	Not determined.
Conditions for safe storage, including any incompatibilities:	Store away from incompatible materials. See section 10 for incompatible materials.
Maximum Storage Temperature:	Not determined.



8. Exposure controls/personal protection

Control Parameters:

Occupational Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source
Ethylene glycol - Aerosol.	Ceiling	100 mg/m3	US. ACGIH Threshold Limit Values, as amended (02 2012)
Ethylene glycol	STEL	50 ppm	US. ACGIH Notice of Intended Changes (NIC) to Threshold Limit Values, as amended (03 2015)
Ethylene glycol	TWA	10 mg/m3	US. ACGIH Notice of Intended Changes (NIC) to Threshold Limit Values, as amended (03 2015)
Ethylene glycol	TWA	25 ppm	US. ACGIH Notice of Intended Changes (NIC) to Threshold Limit Values, as amended (03 2015)
Ethylene glycol	Ceiling	50 ppm 125 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)

Appropriate engineering
controls:Material should be handled in enclosed vessels and equipment, in which
case general (mechanical) room ventilation should be sufficient. Local
exhaust ventilation should be used at points where dust, mist, vapors or
gases can escape into the room air.

Individual protection measures, such as personal protective equipment

General information:	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory and eye protection may be needed in special circumstances, such as poorly ventilated spaces, heating, evaporation of liquids from large surfaces, spraying of mists, mechanical generation of dusts, drying of solids, etc.
Eye/face protection:	If contact is likely, safety glasses with side shields are recommended.
Skin Protection Hand Protection:	Use nitrile or neoprene gloves. Use good industrial hygiene practices. In case of skin contact, wash hands and arms with soap and water. Chemical resistant gloves
Other:	Gloves, coveralls, apron, boots as necessary to minimize contact.
Respiratory Protection:	Use respirator with a combination organic vapor and dust/mist cartridge. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator. Under normal use conditions, respirator is not usually required. Use appropriate respiratory protection if exposure to dust particles, mist or vapors is likely. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites.
Hygiene measures:	Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.

9. Physical and chemical properties



Appearance	
Physical state:	liquid
Form:	liquid
Color:	No data available.
Odor:	No data available.
Odor threshold:	No data available.
pH:	Not applicable
Freezing point:	No data available.
Boiling Point:	> 500 °F (260 °C)
Flash Point:	> 350.1 °F (176.7 °C) (ASTM D93 (Pensky-Martens (A and B Closed Cup)))
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explos	ive limits
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper:	No data available.
Explosive limit - lower:	No data available.
Vapor pressure:	< 1 torr (21.1 °C 70.0 °F)
Vapor density:	No data available.
Relative density:	1 - 1.1 68 °F (20 °C)
Solubility(ies)	
Solubility in water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	71 mm2/s(104 °F (40 °C))

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	Will not occur.
Conditions to avoid:	Do not expose to excessive heat, ignition sources, or oxidizing materials.
Incompatible Materials:	Oxidizing agents.
Hazardous Decomposition Products:	Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion. Oxides of Sulfur.

11. Toxicological information

Information on likely routes of exposure Inhalation: No data available.



Ingestion:	May be harmful if swallowed.
Skin Contact:	No data available.
Eye contact:	Causes eye irritation.
Information on toxicological efformation on toxicological efformation on toxicity	ects
Product:	ATEmix > 2,000 mg/kg. Ingestion can cause central nervous system effects such as headache, dizziness, drowsiness, and generalized weakness.
Dermal Product:	Not classified for acute toxicity based on available data. Prolonged or widespread contact with this material could result in the absorption of potentially harmful amounts.
Inhalation Product:	Not classified for acute toxicity based on available data.
Skin Corrosion/Irritation: Product:	Remarks: Not classified as a primary skin irritant. Prolonged or repeated exposure may cause a slight flaking, tenderness, and softening of skin. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.
Serious Eye Damage/Eye Product:	Irritation: Remarks: Causes eye irritation.
Respiratory sensitization:	No data available
Skin sensitization: p-Dodecylphenol	Classification: Not a skin sensitizer. (Literature)
Ethylene glycol	Classification: Not a skin sensitizer. (Literature) Not a skin sensitizer.
Specific Target Organ Tox	cicity - Single Exposure:
Product:	
p-Dodecylphenol	May cause irritation to the mucous membranes and upper respiratory tract.
Ethylene glycol	If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.
Aspiration Hazard:	No data available
Other effects:	
SDS_US - PARATHERM™ AC	6/11



Product:

If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.

Chronic Effects

Carcinogenicity: Product:

This product contains mineral oils which are severely refined and not considered carcinogenic. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity:

p-Dodecylphenol	This material has not exhibited mutagenic or genotoxic potential in laboratory tests.
Ethylene glycol	In vitro and in vivo genetic toxicity studies were negative.
Reproductive toxicity:	
p-Dodecylphenol	May damage fertility.
Ethylene glycol	Not Classified based on available data. In studies on rats, ethylene glycol has been shown not to interfere with reproduction. In studies on mice, ingestion of ethylene glycol in large amounts caused a small decrease in the number of litters per pair, live pups per litter, and in live pupweight. Based on animal studies, ingestion of ethylene glycol appears to be the major and possibly only route of exposure to produce birth defects. Exposures by inhalation (tested nose only in animals) or skin contact, the primary routes of occupational exposure, have minimal or essentially no effect on the fetus.

Specific Target Organ Toxicity - Repeated Exposure:

p-Dodecylphenol	This product contains para-dodecylphenol. Rats given high, repeated daily doses of para-dodecylphenol by oral intubation experienced effects on a number of organs including adrenal, thyroid, liver, ovary, testes, bone marrow and blood cell formation.
Ethylene glycol	Long term dietary intake of ethylene glycol caused liver and kidney effects and deposition of calcium salts in various tissues in animals Excessive exposure may cause CNS effects, cardiopulmonary effects (metabolic acid- osis), and kidney failure. Oral: Target Organ(s): Kidney



Version: 6.1 Revision Date: 11/15/2021

12. Ecological information

Ecotoxicity Fish	
p-Dodecylphenol	LC 50 (Fathead Minnow, 4 d): 40 mg/l
Ethylene glycol	LC 50 (Fathead Minnow, 4 d): 72,860 mg/l NOEC (Fathead Minnow, 7 d): 15,380 mg/l
Aquatic Invertebrates p-Dodecylphenol	EC 50 (Water flea (Daphnia magna), 2 d): 0.037 mg/l EC 50 (Shrimp (Mysidopsis Bahia), 4 d): > 0.58 mg/l EC 50 (Water flea (Daphnia magna), 21 d): 0.0079 mg/l NOEC (Water flea (Daphnia magna), 21 d): 0.0037 mg/l
Ethylene glycol	EC 50 (Water Flea (Daphnia Magna), 2 d): > 100 mg/l NOEC (Water Flea (Daphnia Magna), 7 d): 8,590 mg/l
Toxicity to Aquatic Plants p-Dodecylphenol	EC 50 (Green algae (Scenedesmus quadricauda), 72 h): 0.36 mg/l
Ethylene glycol	EC 50 (Algae (Pseudokirchneriella subcapitata), 4 d): 6,500 - 13,000 mg/l
Toxicity to soil dwelling organisms	s No data available
Sediment Toxicity	No data available
Toxicity to Terrestrial Plants	No data available
Toxicity to Above-Ground Organis	ms No data available
Toxicity to microorganisms p-Dodecylphenol	EC 50 (Sludge, 0.1 d): > 1,000 mg/l
Persistence and Degradability Biodegradation p-Dodecylphenol	Miscellaneous, 10 %, 56 d, Not readily degradable. OECD TG 301 B, 25 %, 28 d, Not readily degradable.
Ethylene glycol	OECD TG 301 A, 90 - 100 %, Readily biodegradable
Bioaccumulative potential Bioconcentration Factor (BCF) p-Dodecylphenol	Bioconcentration Factor (BCF): 794.33 (Measured) Bioconcentration Factor (BCF): 794.33 (Measured)
Partition Coefficient n-octanol / wa p-Dodecylphenol	ter (log Kow) Log Kow: 7.14 (Measured)
Ethylene glycol	Log Kow: -1.36
Mobility:	No data available



Other adverse effects

Product:

This material contains one or more components that have an impurity (alkylated phenol) that is highly toxic to aquatic organisms (Aquatic Acute 1 and Aquatic Chronic 1). The component containing the impurity (calcium phenate) was tested in fish, invertebrates and algae and the results showed that it may cause long lasting harmful effects to aquatic life (Aquatic Chronic 4). Therefore the classification shown in Section 3 for the alkylphenol impurity should not be used to classify the product for aquatic toxicity. May cause long lasting harmful effects to aquatic life.

13. Disposal considerations

Disposal instructions:	Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations. Dispose of packaging or containers in accordance with local, regional, national and international regulations. Empty container contains product residue which may exhibit hazards of product.			
Contaminated Packaging:	Container packaging may exhibit hazards.			
14. There are not information				

14. Transport information

DOT

Not regulated.

IMDG

Not regulated.

ΙΑΤΑ

Not regulated.

Transport in bulk according to Annex II of MARPOL and the IBC Code None known.

The DOT shipping information in this section is based on a bulk container. Please review the accompanying shipping papers for the correct shipping descriptions based the size of the package. Shipping descriptions may vary based on mode of transport, quantities, temperature of the material, package size, and/or origin and destination. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material. During transportation, steps must be taken to prevent load shifting or materials falling, and all relating legal statutes should be obeyed. Review classification requirements before shipping materials at elevated temperatures.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4)

Chemical Identity	CAS number	Reportable quantity
Ethylene glycol	107-21-1	5000 lbs

Superfund amendments and reauthorization act of 1986 (SARA)

SARA 311 Classifications

Serious eye damage or eye irritation



Reproductive toxicity Specific target organ toxicity (single or repeated exposure)

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 313 (TRI Reporting)

Chemical Identity	CAS number	Reporting threshold for other uses	Reporting threshold for manufacturing and processing
Ethylene glycol	107-21-1	10000 lbs	25000 lbs

US State Regulations

US. California Proposition 65



This product can expose you to chemicals including: Ethylene glycol (1.00%) which is [are] known to the State of California to cause birth defects or other reproductive harm.

Inventory Status

Australia (AIIC)

All components are in compliance with chemical notification requirements in Australia.

Canada (DSL/NDSL)

All substances contained in this product are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List (DSL) or are exempt.

China (IECSC)

All components of this product are listed on the Inventory of Existing Chemical Substances in China.

European Union (REACh)

To obtain information on the REACH compliance status of this product, please e-mail REACH@SDSInquiries.com.

Japan (ENCS)

All components are in compliance with the Chemical Substances Control Law of Japan.

Korea (ECL)

All components are in compliance in Korea.

New Zealand (NZIoC)

All components are in compliance with chemical notification requirements in New Zealand.

Philippines (PICCS)

All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).

Switzerland (SWISS)

All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland.

Taiwan (TCSCA)

All components of this product are listed on the Taiwan inventory.

SDS_US - PARATHERM™ AC



United States (TSCA)

All substances contained in this product are listed on the TSCA inventory or are exempt.

The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.

16.Other information, including date of preparation or last revision

HMIS Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date:	11/15/2021
Version #:	6.1
Source of information:	Internal company data and other publically available resources.
Further Information:	Contact supplier (see Section 1)
Disclaimer:	As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains the responsibility of the user.